

DUPLI-COLOR IRON MICA SPRAY

Technical Information



2 in 1: Corrosion protection and top-coat in one product. High-grade synthetic quality. Outstandingly decorative effect combined with excellent rust-protective properties make the use of a primer unnecessary. Suitable for metal, iron, sheet steel, even on wood, glass, stone etc.

Ord.-no: 707193, 720369, 743740, 720376, 707193-AT, 707193-DG, 707193-DW, 720369-DG, 720376-DG, 720376-DW, 743740-DG, 743740-DW

Quality & properties

High-grade synthetic quality
 Very good rust-protective properties, no primer necessary
 Very good coverage and adhesion
 Excellent adhesion
 Quick-drying
 Good flow, smooth surface
 Weather-resistant, light-proof, UV-resistant
 It is possible, but not necessary, to apply a top coat with synthetic paint

Physical & chemical data

Base: Alkyd resin
 Colourname:
 ◦ graphit
 ◦ gold
 ◦ anthracite
 ◦ silver
 Degree of gloss: semi gloss GU
 Efficiency: 400 ML – 0.8 - 1.0 m²
 Dry to touch: 2 h
 Dust dry: 20 min
 Completely dry: 24 h
 Surfaces: garden fences, gates, banisters, gardening tools, playground devices (e.g. swings), wood, stone or glass
 Minimum Working Temperature: 10 °C
 Maximum Working Temperature: 25 °C
 Flash point: n.a.
 Storage stability: 10 y
 Content: 400 ML

How to use

Carefully remove loose parts of old paintings and rust.
Then sand and remove dust.
The ground has to be clean, dry and free from fat.
Cover areas not to be painted.
Before use, shake the can vigorously for 3 minutes.
Test spray to check colour-matching and compatibility.
Spray several thin coats in 2 minute intervals.
After every applied coat, shake the can again, because the special pigments will sediment rather quickly. This might lead to colour deviations.
Spray from a distance of approx. 25 cm.
Best results will be achieved at temperatures around 20°C.

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of May 7, 2025 – This release replaces all eventually earlier issued versions.