

## DUPLI-COLOR MODEL PAINT CLEAR COAT

## Technical Information



Special Clear Coat for model making: high gloss, quick-drying and especially durable against fuels, which are used for motor-operated models. Suitable for all surfaces – except polystyrene.

**Ord.-no:** 685279

### Quality & properties

- Quick-drying
- Highly resistant to fuels, which are used in model making
- Suitable for indoors and outdoors applications
- Durable high gloss
- Good flow for even surfaces
- Scratch-, bump- and shock-proof
- Extremely weather-resistant
- Long durability and functionality
- Excellent adhesion on many surfaces

### Physical & chemical data

- Base: Alkyd resin
- Colourname: transparent
- Degree of gloss: high gloss GU
- Efficiency: 150 ML – 0.5 m<sup>2</sup>
- Dry to touch: 3 h
- Dust dry: 30 min
- Completely dry: 24 h
- Surfaces: wood, metal, paper, glass, stone, coatable plastics (not polystyrene)
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Flash point: n.a.
- Storage stability: 10 y
- Content: 150 ML

### How to use

- If necessary, sand, clean and degrease the surface and let it dry.
- The ground has to be clean, dry and free from fat.
- The can should have room temperature.
- Mask off areas not to be painted
- Shake the can for approx. 3 minutes.
- Test compatibility of the spray at an invisible spot.
- Spray in 2 minute intervals several thin coats.
- Spray from a distance of approx. 25 - 30 cm.
- Can be coated within 2 hours or earliest after 24 hours.
- Do not coat with an acrylic paint, not even after drying!

### Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

### Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

### Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

**As of May 21, 2025** – This release replaces all eventually earlier issued versions.