

DUPLI-COLOR profi Insulation Primer

Ord.-no.: 478413

Technical Information



Fast drying insulating primer spray for interior and exterior application on the basis of synthetic resins, with excellent isolation and barrier effect against many different types of stains (especially water stains) on mineral-based substrates (plaster etc.), wood and concrete. Can be painted over with all emulsion paints, alkyd-based, water-based and acrylic paints; not with two-component paints. Adjustable spray cone width (horizontally and vertically)

Quality & properties

- Excellent insulation and protection against many types of stains such as water stains on mineral surfaces (plaster, etc.), timber and concrete
- Quick and easy to apply
- Can be recoated with all paints, alkyd- and water-based acrylic coatings
- Based on synthetic resins
- Adjustable spray cone width

Physical & chemical data

- Base: Special resin
- Colourname: white
- Smell: Characteristic
- Efficiency: 400 ML – 1.0 - 1.5 m²
- Dry to touch: 60 min
- Dust dry: 6 min
- Overcoatable: 60 min
- Surfaces: Wood, metal and on mineral substrates like concrete, stone, plastering etc.
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Vapour pressure: 3500/20 bar
- Storage stability: 10 y
- Content: 400 ML

How to use

- Clean surfaces to be painted thoroughly with DUPLI-COLOR Degreaser art.no. 478376, then sand
- The area must be dry and free of dust and grease
- Shake can well for 3 minutes
- Carry out spray test
- 2-3 coats

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labeling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EEC in the actually valid version.

For any further technical questions call our hotline +49 (0) 62 66 75-266 from Monday to Thursday from 9 h a.m. to 3 h p.m. or on Friday until 12 h p.m.

As of August 18, 2022 – This release replaces all eventually earlier issued versions.