

DUPLI-COLOR COLOR SPECIAL NEON SPRAY

Technical Information



Fast-drying acrylic laquer in fluorescent colours for professional decoration works on all kinds of materials.

Ord.-no: 651502, 651519, 673757

Quality & properties

High-grade acrylic quality
 Very good coverage
 Excellent adhesion on many surface
 Also suitable for polystyrene
 Good flow, smooth surface
 Suitable for indoors and outdoors applications
 Resistant to wipint
 Weather-resistant
 Limited light-proof and UV-resistant. The intensity of luminosity decreases by-and-by. With a clear varnish coating you can delay this effect a bit.
 Scratch-, shock- and impact-resistant

Physical & chemical data

Base: Acrylic resin
 Colourname:
 ◦ pink
 ◦ lemon yellow
 ◦ signal red
 Degree of gloss: mat GU
 Efficiency: 400 ML – 0.8 - 1.0 m²
 Dry to touch: 30 min
 Dust dry: 15 min
 Completely dry: 1 - 2 h
 Overcoatable: 1 h
 Surfaces: metal, wood, glass, ceramics, polystyrene, eternite, concrete, stone, paper, carton, hard plastics, flowers etc
 Minimum Working Temperature: 10 °C
 Maximum Working Temperature: 25 °C
 Flash point: n.a.
 Storage stability: 10 y
 Content: 400 ML

How to use

Remove rust and dirt.
The ground has to be clean, dry and free from fat.
Cover areas not to be painted.
Apply a white primer, e.g. DUPLI-COLOR Primer white. (Not if used on polystyrene!)
Before use, shake can for 3 minutes.
Test spray at an invisible spot.
Spray from a distance of 12-15 cm several thin coats.
Do not spray over surfaces which are painted with synthetic resin lacquer!

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of May 21, 2025 – This release replaces all eventually earlier issued versions.