

## DUPLI-COLOR Flip Flop / Flip Flop Ultra Automotive

## Technical Information



Color change effect for individually creations. Depending on incidence of light and perspective of the spectator, the effect changes the colour. Specially impressing effect is achieved on a dark ground. Suitable for glass, ceramics, stone, metals, etc.

**Ord.-no:** 665509, 665516, 164637, 173899, 164620, 164996

### Quality & properties

High-grade nitro-combi quality with a combination of special binders and pigments  
 Good flow, smooth surface  
 Quick-drying  
 Weather-resistant, light-proof, UV-resistant  
 Scratch-, shock- and impact-resistant  
 Very efficient  
 High degree of gloss  
 Round spray jet, fine atomization  
 Very smooth, level run  
 Vampire: violet to green  
 scarab: green to anthracite  
 tropical: red to gold/brown  
 ultra lagoon: violet to bordeaux red  
 ultra lapis: azure blue to turquoise  
 ultra sunrise: green brown to gold  
 ultra miracle: silver chromaflair

### Physical & chemical data

Base: Nitrocombi resin  
 Colourname:  
 ◦ green/violet  
 ◦ light red/dark red  
 ◦ light blue/dark blue  
 ◦ light green/dark green  
 ◦ light violet/dark violet  
 ◦ multicolor/silver  
 Degree of gloss: gloss GU  
 Efficiency: 150 ML – 0.4 m<sup>2</sup>  
 Dry to touch: 30 min  
 Dust dry: 5 min  
 Completely dry: 24 h  
 Overcoatable: 1 h  
 Surfaces: glass, ceramics, stone and metals  
 Minimum Working Temperature: 10 °C  
 Maximum Working Temperature: 25 °C  
 Flash point: n.a.  
 Storage stability: 10 y  
 Content: 150 ML

---

**How to use**

The ground has to be clean, dry and free from fat.  
Mask off areas not to be painted.  
Before use, shake can for 3 minutes.  
Test spray at an invisible spot.  
Spray several thin coats from a distance of approx. 25 cm.  
Let lift off for 5 minutes after every cross coat.  
The effect as shown on the cap will be achieved with 3 - 4 cross coats.  
To increase the gloss and weather-resistance, we recommend to apply a top coat of acrylic clear lacquer.  
Do not spray over surfaces which are painted with synthetic resin lacquer!

**Environmentally sound**

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

**Disposal**

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

**Marking/Labelling**

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

**As of May 7, 2025** – This release replaces all eventually earlier issued versions.