

DUPLI-COLOR FIXATIVE SPRAY

Technical Information



Highly transparent lacquer as protective film for graphic and artist works with crayon, pastel, red chalk, charcoal, pencil and colored pencil drawings, watercolors and tempera colors. The spray protects the simplest sketch as well as a work of art from humidity, soiling and bleaching.

Ord.-no: 319815, 319822

Quality & properties

- High-grade, nitrocombi protective varnish
- Leaves a satin-glossy protective film
- Excellent adhesion
- Good flow, smooth surface
- Quick-drying
- Weather-resistant, light-proof, UV-resistant
- Resistant to wiping
- After drying scratch-, bump- and shock-proof
- For interior and exterior applications

Physical & chemical data

- Base: Nitrocombi resin
- Colourname: transparent
- Efficiency:
 - 150 ML – 0.4 - 0.8 m²
 - 400 ML – 1.0 - 2.0 m²
- Dry to touch: 50 min
- Dust dry: 10 min
- Completely dry: 24 h
- Surfaces: crayon, pastel, red chalk, charcoal, pencil and coloured pencil drawings, watercolours and tempera colours
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Flash point: n.a.
- Storage stability: 10 y
- Content:
 - 150 ML
 - 400 ML

How to use

- The object you want to retain has to be dry and free from dust and fat.
- Cover areas not to be painted.
- Before use, shake can for 3 minutes.
- Test spray at an invisible spot.
- Spray in 2 minute intervals several thin coats.
- Spray from a distance of approx. 25 cm

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of May 7, 2025 – This release replaces all eventually earlier issued versions.