



Creates an individual surface structure, similar to a rough plaster. It is an exclusive, water-based polyurethane dispersion, which is suitable to repair and adapt a textured plastering. It can be used on misc. surfaces, such as concrete, gypsum plasterboard, sheetrock, wood etc. Can be overcoated with all dispersion paints.

**Ord.-no:** 503719

---

**Quality & properties**

Quick and easy to use, perfect for wall repairs  
Individual surface structure, small to medium grain size  
Low in odour  
Waterbased  
Makes structures like roughplaster  
For concrete, gypsum plasterboard, sheetrock, wood, wallpaper etc.

---

**Physical & chemical data**

Base: Polyurethane dispersion  
Colourname: white  
Degree of gloss value: mat, 10 ±2  
Efficiency: 400 ML – 1,5 m<sup>2</sup>  
Completely dry: 60 min  
Overcoatable: 60 min  
Surfaces: concrete, gypsum plasterboard, sheetrock, wood etc.  
Minimum Working Temperature: 10 °C  
Maximum Working Temperature: 25 °C  
Flash point: n.a.  
Storage stability: 2 years  
Content: 400 ML

---

**How to use**

The spray creates an individual structure of the surface, similar to a roughcast.  
By several thicknesses and distances of spraying you can create a fine to medium graininess.  
Exclusive, water-based polyurethane dispersion, suitable to repair and to align roughcast.  
Waterproof.  
Suitable for inside and outside use.  
Suitable for application on many surfaces: concrete, gypsum plasterboard, sheetrock, wood etc.  
Drying 60 minutes.  
Overpaintable with all dispersion paints.  
In case of spots of water, smoke and smut we recommend, to use first DUPLI-COLOR Isolating Primer.  
please paint over with waterbased paint, to protect the structure.

---

**Environmentally sound**

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

**Disposal**

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

**Marking/Labelling**

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

**As of July 10, 2025** – This release replaces all eventually earlier issued versions.