

DUPLI-COLOR SILICON REMOVER AUTOMOTIVE

Technical Information



DUPLI-COLOR Silicone Remover is essential for professional paintwork results because it thoroughly removes dirt, grease, oil, silicone, wax, tar, adhesive residues etc. DUPLI-COLOR Silicone Remover saves a great deal of time because it is quick and easy to use and universally applicable. It enhances adhesion for subsequent coatings. Ideal for spot and part painting as well as for all jobs that require professional cleaning.

Ord.-no: 375439

Quality & properties

- Simple, time-saving application
- Thorough removal of silicone, grease, oil, wax, dirt, tar, adhesive residues etc.
- Mild, non-aggressive solvent
- Improves adhesion of subsequent coatings
- Extremely time saving

Physical & chemical data

- Colourname: transparent
- Smell: Characteristic
- Dust dry: 10 min
- Completely dry: 24 h
- Surfaces: primed and filled areas, metal, glass, old paints and original paints from supplier, painted and unpainted surfaces
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Flash point: n.a.
- Storage stability: 2 years
- Content: 150 ML

How to use

- Shake the can shortly before use.
- 1 - 2 light coats, repeat if dirt excessive.
- Wipe off with a clean, dry, non-woven cloth.
- Allow cleaned surfaces to dry.
- Suitable for all levelled, primed and filled surfaces, metal and glass, old and original paintwork, painted and unpainted undercoats.

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of July 10, 2025 – This release replaces all eventually earlier issued versions.