

**DUPLI-COLOR EFFECT PRIMER****Technical Information**

The optimal ground for phantastic special effects: white matt for e.G. DUPLI-COLOR NEON SPRAY. Black glossy for e.G. DUPLI-COLOR GLITTER SPRAY. Suitable for metals, glass, ceramics, stone and many other surfaces.

**Ord.-no:** 156366, 674846, 156359, 156359-DF, 156366-DG, 674846-DF

**Quality & properties**

High-grade nitro-combi quality  
Very good coverage  
Highly efficient  
Excellent adhesion  
Quick-drying  
Good flow, smooth surface  
Weather-resistant, light-proof, UV-resistant  
Scratch-, shock- and impact-resistant

**Physical & chemical data**

Base: Nitrocombi resin  
Colourname:  
◦ white  
◦ black  
Degree of gloss:  
◦ mat GU  
◦ gloss GU  
Efficiency:  
◦ 400 ML – 0.8 - 1.5 m<sup>2</sup>  
◦ 150 ML – 0.3 - 0.6 m<sup>2</sup>  
Dry to touch: 30 min  
Overcoatable: 1 h  
Surfaces: metals, glass, ceramics, stone and many other surfaces  
Minimum Working Temperature: 10 °C  
Maximum Working Temperature: 25 °C  
Flash point: n.a.  
Storage stability: 10 y  
Content:  
◦ 400 ML  
◦ 150 ML

### How to use

Remove rust and dirt.  
The ground has to be clean, dry and free from fat.  
Cover areas not to be painted.  
Before use, shake can for 2 -3 minutes.  
Test spray at an invisible spot.  
Spray from a distance of 25 cm several thin coats.  
Coatable with acrylic- oder synthetic lacquers.  
Do not spray over surfaces which are painted with synthetic resin lacquer!

### Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

### Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

### Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

**As of May 7, 2025** – This release replaces all eventually earlier issued versions.