

DUPLI-COLOR DECO MAT CLEAR COAT

Technical Information



Decorativ Paint for decoration purposes, window displays, stand construction at trade fairs, shop equipment, etc. Indispensable for stand constructors, decorators, flower-arrangers etc., but also for handicraft work at home or in courses and seminars. The polystyrene-resistant paint allows to spray directly on polystyrene bowl, blocks and other forms without a previous special priming.

Ord.-no: 193262, 749285

Quality & properties

Polystyrene-resistant acrylic lacquer with a special solvent
 Very good coverage
 Excellent adhesion on many materials, e.g. polystyrene, metal, wood, glass, ceramics, eternite, concrete, stone, paper, cardboard, coatable hard plastics, flowers etc.
 Good flow, smooth surface
 Dries quick and evenly
 Suitable for painting and repairing indoors and outdoors objects
 Resistant to wiping Weather-resistant, light-proof, UV-resistant Scratch-, bump- and shock-proof
 Weather-resistant, light-proof, UV-resistant Scratch-, bump- and shock-proof

Physical & chemical data

Base: Acrylic resin
 Colourname: transparent
 Smell: Characteristic
 Degree of gloss value: mat, 10 ±2
 Efficiency:
 ◦ 400 ML – 1.0 m²
 ◦ 150 ML – 1.0 m²
 Dust dry: 10 min
 Dry to touch: 30 min
 Completely dry: 24 h
 Surfaces: polystyrene, metal, wood, glass, ceramics, eternite, concrete, stone, paper, cardboard, coatable hard plastics, flowers etc.
 Minimum Working Temperature: 10 °C
 Maximum Working Temperature: 25 °C
 Flash point: n.a.
 Storage stability: 10 years
 Content:
 ◦ 400 ML
 ◦ 150 ML

How to use

Remove rust and dirt.
The ground has to be clean, dry and free from fat.
Possibly existing old paintings and smooth surfaces have to be roughened with fine sand paper.
Mask off areas not to be painted.
Before use, shake can for 3 minutes.
Test spray at an invisible spot.
Spray from a distance of approx. 25 cm several thin coats.
Do not spray over surfaces which are painted with synthetic resin lacquer!

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of July 10, 2025 – This release replaces all eventually earlier issued versions.