

## DUPLI-COLOR FIRNIS SPRAY ACRYLIC

## Technical Information



Transparent protective coating on acrylic base for thoroughly dried paintings. Applicable on wood, cardboard, stone, ceramics and many surfaces. Protects the paint coating and increases life period. Prevents the oxidation of paintable metals.

**Ord.-no:** 319761, 319754, 319730, 319747

### Quality & properties

High-grade, cristal-clear acrylic protective varnish  
Excellent adhesion  
Good flow, smooth surface  
Quick-drying  
Weather-resistant, light-proof, UV-resistang  
Resistant to wiping  
After drying scratch-, bump- and shock-proof  
For interior and exterior applications

### Physical & chemical data

Base: Acrylic resin  
Colourname: transparent  
Smell: Characteristic  
Degree of gloss value:  
◦ gloss, 75  
◦ mat, 10 ±2  
Efficiency:  
◦ 400 ML – 1.0 - 2.0 m<sup>2</sup>  
◦ 150 ML – 1.0 - 2.0 m<sup>2</sup>  
Dust dry:  
◦ 10 min  
◦ 1 min  
Dry to touch: 50 min  
Completely dry: 24 h  
Surfaces: wood, cardboard, stone, ceramics and many surfaces  
Minimum Working Temperature: 10 °C  
Maximum Working Temperature: 25 °C  
Flash point: n.a.  
Storage stability: 10 years  
Content:  
◦ 400 ML  
◦ 150 ML

---

**How to use**

The ground has to be clean, dry and free from rust and fat.  
Cover areas not to be painted.  
Before use, shake can for 3 minutes.  
Test spray at an invisible spot.  
Spray in 2 minute intervals several thin cross-coats.  
Spray from a distance of approx. 25 cm  
Important: Do not spray over surfaces which are painted with synthetic resin lacquer!  
Cover areas not to be painted.  
Before use, shake can for 3 minutes.  
Test spray at an invisible spot.  
Spray in 2 minute intervals several thin cross-coats.  
Spray from a distance of approx. 25 cm  
Important: Do not spray over surfaces which are painted with synthetic resin lacquer!

**Environmentally sound**

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

**Disposal**

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

**Marking/Labelling**

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

**As of July 10, 2025** – This release replaces all eventually earlier issued versions.