

## DUPLI-COLOR TUNING BRAKE CALIPER

## Technical Information



Sportive effect painting for brake calipers on all kinds of cars and motorcycles. Especially effective in connection with sport rims.

**Ord.-no:** 706103, 706097, 706080, 736582

### Quality & properties

- High-grade acrylic quality
- Very good coverage
- Not resistant to very aggressive chemicals, e.g. brake fluid
- Quick-drying
- Excellent adhesion
- Free of lead
- Durable gloss
- Weather-resistant
- Hard surface, good elasticity
- Excellent colour retention (light-proof, non-yellowing)

### Physical & chemical data

Base: Nitrocombi resin  
Colourname:

- tuning blue
- power yellow
- racing red
- speed silver

Degree of gloss: gloss GU  
Dry to touch: 30 min  
Dust dry: 10 min  
Completely dry: 2 h  
Overcoatable: 1 h  
Surfaces: brake calipers on all kinds of cars and motorcycles  
Minimum Working Temperature: 10 °C  
Maximum Working Temperature: 25 °C  
Flash point: n.a.  
Storage stability: 10 y  
Content: 150 ML

### How to use

Jack up car before dismantling the wheel in accordance with manufacturer regulation.  
Clean surface from fat and dirt, e.g. with presto Brake Cleaner art.no. 306185 and with the help of a brush.  
Protect from spray mist by masking off brake disc, brake pads and surrounding area.  
Paint can be sprayed directly on the brake caliper, but we recommend to use DUPLI-COLOR Primer for better adhesion.  
Before use, shake can for 3 minutes.  
Test spray at an invisible spot.  
Spray from a distance of 20 - 30 cm.  
Spray several thin coats in 3 - 5 minute intervals on the dry repair spot.  
Do not spray over surfaces which are painted with synthetic resin lacquer!

### Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

### Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

### Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

**As of May 7, 2025** – This release replaces all eventually earlier issued versions.