



The perfect primer for smooth and glossy paint surfaces. Closes all kinds of open-porous subsoils. DUPLI-COLOR AEROSOL ART PRIMER forms the perfect basis for the following lacquering with DUPLI-COLOR AEROSOL ART.

**Ord.-no:** 158995.744020

## Quality & properties

- High-grade nitro-combi quality
- Especially high filling power
- Very good flow, smooth surface
- Quick-drying
- Protects from corrosion
- Promotes best adhesion of the top coat on the subsoil
- Optimizes the gloss of the top coat
- Grants the economical application of the top coat
- Especially user-friendly due to durable quality, which is easy to apply and easy to sand and re-coat
- For indoor and outdoor applications

### Physical & chemical data

Base: Nitrocombi resin  
 Colourname:  
     ◦ white  
     ◦ grey  
 Degree of gloss: mat GU  
 Efficiency: 400 ML – 0.8 m<sup>2</sup>  
 Dry to touch: 30 min  
 Dust dry: 15 min  
 Surfaces: For indoor and outdoor applications  
 Minimum Working Temperature: 10 °C  
 Maximum Working Temperature: 25 °C  
 Flash point: n.a.  
 Storage stability: 10 y  
 Content: 400 ML

## How to use

De-rust, sand and clean the surfaces to be painted.  
Apply putty, if necessary.  
The surface has to be clean, dry and free from rust and fat.  
Shake cans for 2 minutes.  
Egalize little dents and porous repair spots by repeated spraying of thin layers and sanding.  
Spray from a distance of approx. 25 cm.  
After drying (approx. 2-4 hours), wet-sand with sandpaper (grain 600), clean the surface and let it dry.  
Afterwards apply the top coat.  
Coatable with synthetic or acrylic lacquers.  
Do not spray over synthetic lacquers!

## Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

## Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

### Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

**As of May 7, 2025** – This release replaces all eventually earlier issued versions.